

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	43115	laser adj diode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:52
2	BRS	3	lens-fiber adj assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:54
3	BRS	18649	len near5 fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:55
4	BRS	18649	lens near5 fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:36
5	BRS	2363	(lens near5 fiber) and (laser adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:56
6	BRS	239	((lens near5 fiber) and (laser adj diode)) and sleeve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:56
7	BRS	105	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:57
8	BRS	8	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and base and carrier and cap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:57
9	BRS	66	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and hole	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:57
10	BRS	71	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:58
11	BRS	2	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)) and slant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:59
12	BRS	48	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)) and (slant or tilt or angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/11 12:59
13	BRS	28	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)) and (ferrule same (slant or tilt or angle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 13:53

	Type	Hits	Search Text	DBs	Time Stamp
14	BRS	312	ld adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:35
15	BRS	927	(ld or (laser adj diode)) adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:36
16	BRS	156	(lens near5 fiber) and ((ld or (laser adj diode)) adj module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:37
17	BRS	63	((lens near5 fiber) and ((ld or (laser adj diode)) adj module)) and ferrule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:37
18	BRS	35	((((lens near5 fiber) and ((ld or (laser adj diode)) adj module)) and ferrule) and (slant or tilt or angle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:38
19	BRS	19	(((((lens near5 fiber) and ((ld or (laser adj diode)) adj module)) and ferrule) and (slant or tilt or angle)) and hole	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:38
20	BRS	12	((((((lens near5 fiber) and ((ld or (laser adj diode)) adj module)) and ferrule) and (slant or tilt or angle)) and hole) and sleeve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/12 07:38
21	BRS	8	("5109447"   "5146514"   "5177803"   "5291571"   "5355237"   "5487120"   "5526155"   "5568576").PN.	USPAT	2002/03/12 13:16
22	BRS	4	("5216327"   "5420418"   "5707745"   "5731621").PN.	USPAT	2002/03/12 13:18
23	BRS	4	("5216237"   "5420418"   "5707745"   "5731621").PN.	USPAT	2002/03/12 13:19
24	BRS	2	("5065226"   "5586208").PN.	USPAT	2002/03/12 13:20
25	BRS	7	(((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)) and (ferrule same (slant or tilt or angle)) and (ambient or air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 14:41
26	BRS	0	((((((lens near5 fiber) and (laser adj diode)) and sleeve) and ferrule) and (hole or cavity)) and (ferrule same (slant or tilt or angle)) and (third adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 13:56

	Type	Hits	Search Text	DBs	Time Stamp
27	BRS	12081	fujitsu-limited.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 14:47
28	BRS	329165	fujitsu-limited.as. or FUJITSU.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 14:47
29	BRS	1851	(fujitsu-limited.as. or FUJITSU.as.) and (laser adj diode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 14:47
30	BRS	103	((fujitsu-limited.as. or FUJITSU.as.) and (laser adj diode)) and (lens near5 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 14:48
31	BRS	1	((((fujitsu-limited.as. or FUJITSU.as.) and (laser adj diode)) and (lens near5 fiber)) and (power adj meter) and (connecting or connect or attach or attaching or weld or welding or solder or soldering) and sleeve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 15:01
32	BRS	260	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and fiber and (connecting or connect or attach or attaching or weld or welding or solder or soldering) and sleeve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 15:07
33	BRS	139	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and (connecting or connect or attach or attaching or weld or welding or solder or soldering) and sleeve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 15:09
34	BRS	8	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and (connecting or connect or attach or attaching or weld or welding or solder or soldering) and sleeve and holder and jig	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 15:10
35	BRS	47	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and (connecting or connect or attach or attaching or weld or welding or solder or soldering) and sleeve and holder and module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 15:52
36	BRS	2	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and (press-fitting) and (insert\$ near3 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:10

	Type	Hits	Search Text	DBs	Time Stamp
37	BRS	50	(385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and ((weld\$ or solder\$) near10 (casing or sleeve))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:16
38	BRS	7	((385/\$.ccls. or 372/\$.ccls.) and (laser adj diode) and (lens near5 fiber) and ((weld\$ or solder\$) near10 (casing or sleeve))) and (power near5 meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 11:36
39	BRS	930	((laser adj diode) or ld) adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:20
40	BRS	193	(photodiode or (photo adj diode) or pd) adj module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:20
41	BRS	1071	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:23
42	BRS	3	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and lens-fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:21
43	BRS	177	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and (lens near5 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/14 16:26
44	BRS	107	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and (lens near5 fiber)	USPAT; US-PGPUB	2002/03/18 12:06
45	BRS	1	fernando-garcia.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 11:37
46	BRS	8	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and (lens near5 fiber) and (press\$ near5 fit\$)	USPAT; US-PGPUB	2002/03/18 12:08
47	BRS	5	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and (lens near5 fiber) and (press\$ near5 (fit or fitting))	USPAT; US-PGPUB	2002/03/18 12:09
48	BRS	5	((((laser adj diode) or ld) adj module) or ((photodiode or (photo adj diode) or pd) adj module)) and (lens near5 fiber) and (press\$4 near5 (fit or fitting))	USPAT; US-PGPUB	2002/03/18 12:13

	Type	Hits	Search Text	DBs	Time Stamp
49	BRS	0	(press adj fitting near10 (advantage or benefit or plus)) and (385/\$ or 372/\$).ccls.)	USPAT; US-PGPUB	2002/03/18 12:15
50	BRS	0	(press adj fitting near10 (advantage or benefit or plus)) and (laser adj diode)	USPAT; US-PGPUB	2002/03/18 12:15
51	BRS	63	press adj fitting near10 (advantage or benefit or plus)	USPAT; US-PGPUB	2002/03/18 13:40
52	BRS	3102	sleeve and (385/\$ or 372/\$).ccls.)	USPAT; US-PGPUB	2002/03/18 13:41
53	BRS	52	(sleeve and (385/\$ or 372/\$).ccls.) and (((laser adj diode) or ld or (photodiode or photo-diode) or (photo adj diode) or pd) adj module)	USPAT; US-PGPUB	2002/03/18 13:43
54	BRS	32	((sleeve and (385/\$ or 372/\$).ccls.) and (((laser adj diode) or ld or (photodiode or photo-diode) or (photo adj diode) or pd) adj module)) and (lens near5 fiber)	USPAT; US-PGPUB	2002/03/18 13:44
55	BRS	25	((sleeve and (385/\$ or 372/\$).ccls.) and (((laser adj diode) or ld or (photodiode or photo-diode) or (photo adj diode) or pd) adj module)) and (lens near5 fiber)) and ferrule	USPAT; US-PGPUB	2002/03/18 13:44
56	BRS	18	(((((sleeve and (385/\$ or 372/\$).ccls.) and (((laser adj diode) or ld or (photodiode or photo-diode) or (photo adj diode) or pd) adj module)) and (lens near5 fiber)) and ferrule) and (slant or tilt or angle)	USPAT; US-PGPUB	2002/03/18 13:45
57	BRS	4	(((((sleeve and (385/\$ or 372/\$).ccls.) and (((laser adj diode) or ld or (photodiode or photo-diode) or (photo adj diode) or pd) adj module)) and (lens near5 fiber)) and ferrule) and (slant or tilt or angle)) and ((hole or cavity) near5 (case or casing or package or assembly))	USPAT; US-PGPUB	2002/03/18 13:46
58	BRS	795	385/93	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/30 14:46
59	BRS	628	385/90	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:00
60	BRS	491	385/91	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:00

	Type	Hits	Search Text	DBs	Time Stamp
61	BRS	1573	385/92	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:00
62	BRS	980	385/93	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:00
63	BRS	648	385/94	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:01
64	BRS	2441	385/88	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:01
65	BRS	3817	385/90 or 385/91 or 385/92 or 385/93 or 385/94 or 385/88	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:01
66	BRS	264	(385/90 or 385/91 or 385/92 or 385/93 or 385/94 or 385/88) and (laser near3 diode) and lens and (casing or housing or house or case) and ferrule and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:03
67	BRS	12	(385/90 or 385/91 or 385/92 or 385/93 or 385/94 or 385/88) and (laser near3 diode) and lens and (casing or housing or house or case) and ferrule and (optic\$3 near3 fiber) and slant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:05
68	BRS	97	(rail and groove) near8 align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 10:28
69	BRS	9	((rail and groove) near8 align\$4) and 385/\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 11:19